

46—010 Differentiating characteristics of steering gears

A. Power steering 765 (LS 90, LS 68)

Part No.	Installed in model	Steering gear	Reaction piston dia.	Code number	Pitch Ball circulation	Remarks
107 460 13 01 LL ¹) 107 460 14 01 RL ²)	107. 1st version	765.700	11	—	10.5	—
114 460 17 01 LL ¹) 114 460 18 01 RL ²)	107 2nd version 114, 115 1st version	765.700	10	—	10.5	—
114 460 08 01 LL ¹) 114 460 09 01 RL ²)	107 3rd version 114, 115 2nd version 116.02, 116.032/033 1st version	765.701	10	—	10.5	—
114 460 21 01 LL ¹) 114 460 22 02 RL ²)	107 4th version 114, 115 3rd version	765.701	11	1	10.5	—
107 460 17 01 LL ¹) 107 460 18 01 RL ²)	107 5th version 114, 115 4th version 123 1st version	765.701	11.5	1	10.5	—
107 460 19 00 LL ¹)	107 6th version	765.701	11.5	1	10.5	Identification "S" on steering case = additional stop
116 460 10 01 LL ¹) 116 460 11 01 RL ²)	116.02 116.032/033 2nd version	765.702	9	9	10.5	—
116 460 12 01 LL ¹) 116 460 13 01 RL ²)	116.036	765.703	8	8	10.5	—
123 460 47 01 LL ¹) 123 460 48 01 RL ²)	123 2nd version	765.704	11.5	1	10.5	Steering locks in steering case, identification "A"
123 460 58 01 LL ¹) 123 460 59 01 RL ²)	123 3rd version	765.704	11.5	1	9	

Part No.	Installed in model	Steering gear	Reaction piston dia.	Code number	Pitch Ball circulation	Remarks
126 460 04 01 LL ¹⁾ 126 460 05 01 RL ²⁾	126.02 126.03 1st version	765.706	13	—	10.5	Identification "D" (degressive reaction)
126 460 14 01 LL ¹⁾ 126 460 15 01 RL ²⁾	126.04 1st version 126.02 126.03 2nd version	765.706	13	—	10	Identification "D" and automatic compensation for play
201 460 57 01 LL ¹⁾ 201 460 58 01 RL ²⁾	201.02 1st version	765.900	11.5	—	10	Automatic com- pensation for play. Grey iron housing, with dowel sleeve
201 460 43 01 LL ¹⁾ 201 460 49 01 RL ²⁾	201.02 2nd version 201.1 1st version	765.900	11.5	—	10	Automatic com- pensation for play. Light alloy housing, with dowel sleeve
201 460 66 01 LL ¹⁾ 201 460 67 01 RL ²⁾	201.02 3rd version 201.1 2nd version	765.900	11.5	—	10	Automatic com- pensation for play. Light alloy housing, without dowel sleeve
201 460 60 01 LL ¹⁾	201.03	765.902	11.5	—	11	Automatic com- pensation for play. Light alloy housing, without dowel sleeve

¹⁾ LL = lefthand steering

²⁾ RL = righthand steering

B. Mechanical steering 760 (L 1 Z, L 075 Z)

Part No.	Installed in model	Steering gear	Pitch Ball circulation	Remarks
115 460 19 01 LL ¹⁾ 115 460 20 01 RL ²⁾	114, 115 1st version	760.100	9	Pertinent pitman arm 115 463 07 01 LL ¹⁾ , 115 463 08 01 RL ²⁾
115 460 21 01 LL ¹⁾ 115 460 22 01 RL ²⁾	114, 115 2nd version	760.100	10	Pertinent pitman arm 115 463 12 01 LL ¹⁾ , 115 463 13 01 RL ²⁾
123 460 38 01 LL ¹⁾ 123 460 39 01 RL ²⁾	123 1st version	760.100	9	Pitman shaft dia. 30 mm
123 460 62 01 LL ¹⁾ 123 460 63 01 RL ²⁾	123 2nd version	760.100	9	Pitman shaft dia. 32 mm
201 460 52 01 LL ¹⁾ 201 460 55 01 RL ²⁾	201 1st version	760.700	9	With dowel sleeve
201 460 68 01 LL ¹⁾ 201 460 69 01 RL ²⁾	201 2nd version	760.700	9	Without dowel sleeve

¹⁾ LL = lefthand steering

²⁾ RL = righthand steering